

AMENDMENTS TO THE CLAIMS

1. (Currently Amended) A method of transferring data to a handheld device from a host device, said method comprising ~~the steps of~~:

A
2
a) using a universal conduit resident on said host device to transfer data to said handheld device during a synchronization process between said host and handheld devices, said data containing an indication of a file type corresponding to an identified application, wherein said universal conduit is used with more than one of applications known to said handheld device in lieu of a custom conduit specific to said identified application;

b) storing said data as a stream within said handheld device and associating said file type with said stream;

c) indexing a registry with said file type of said stream to determine said an identified application of said handheld device that corresponds to said file type;

d) an exchange manager reading said stream and dispatching said stream to said identified application; and


e) said identified application processing said stream in accordance with other objects associated with said identified application.

2. (Currently Amended) A method as described in Claim 1 wherein said step e) comprises ~~the step of~~ formatting said stream in accordance with an existing database associated with said identified application, wherein said data is added as a record to said existing database.

3. (Original) A method as described in Claim 1 wherein said handheld device is a palm top computer system.

4. (Currently Amended) A method as described in Claim 1 wherein said host device ~~a host computer system~~ is coupled to said handheld device via a communication link ~~and wherein said universal conduit is resident on said host computer system.~~

5. (Canceled).

 6. (Original) A method as described in Claim 1 wherein said universal conduit is an install utility and wherein said file type is unknown to said universal conduit.

7. (Currently Amended) A method as described in Claim 1 wherein said step d) comprises ~~the steps of:~~

d1) said exchange manager receiving a notification that new streams may reside in said handheld device;

d2) in response to said notification, said exchange manager determining a file type of a new stream;

d3) in response to said file type, said exchange manager determining said identified application;

d4) said exchange manager awaking said identified application; and

d5) said exchange manager dispatching said stream to said identified application.

8. (Currently Amended) A method of transferring data from a host device to a handheld device, said method comprising ~~the steps of~~:

a) using a universal conduit resident on said host device to transfer data containing a record to said handheld device during a synchronization process between said host and handheld devices, said data containing an indication of a file type corresponding to an identified application, wherein said universal conduit is used with all applications known to said handheld device in lieu of a custom conduit specific to said identified application;

b) storing said data as a stream within said file type of said stream to determine said an identified application of said handheld device that corresponds to said file type;

c) indexing a registry with said file type of said stream to determine said an identified application of said handheld that corresponds to said file type;

d) an exchange manager reading said stream and dispatching said stream to said identified application; and

e) said identified application formatting said stream in accordance with an existing database associated with said identified application, wherein said data is added as a record to said existing database.

9. (Original) A method as described in Claim 8 wherein said handheld device is a palm top computer system.

10. (Currently Amended) A method as described in Claim 8 wherein said host device ~~a host computer system~~ is coupled to said handheld device via a communication link ~~and wherein said universal conduit is resident on said host computer system~~.

11. (Canceled).

12. (Original) A method as described in Claim 8 wherein said universal conduit is an install utility.

13. (Original) A method as described in Claim 8 wherein said file type is unknown to said universal conduit.

14. (Currently Amended) A method as described in Claim 8 wherein said step d) comprises ~~the steps of~~:

d1) said exchange manager receiving a notification that new streams may reside in said handheld device;

d2) in response to said notification, said exchange manager determining a file type of a new stream;

d3) in response to said file type, said exchange manager determining said identified application;

d4) said exchange manager awaking said identified application; and

d5) said exchange manager dispatching said stream to said identified application.

15. (Currently Amended) A system for transferring data comprising:

a) a host computer system comprising:

a1) a universal conduit for transferring a data file containing a record to a handheld device during a synchronization process between said host computer system and said handheld device, said data file containing

an indication of a file type corresponding to an identified application,
wherein said universal conduit is used with all applications known to said
handheld device in lieu of a custom conduit specific to said identified
application; and

b) wherein during said synchronization process said handheld device is
coupled to said host computer system using a communication link and
comprises:

b1) a communication program for storing said data file as a stream
and for associating said file type with said stream;

b2) an exchange manager for indexing a registry with said file type of
said stream to determine said ~~an~~ identified application of said handheld
device that corresponds to said file type;

b3) wherein said exchange manager is also for reading said stream
and dispatching said stream to said identified application; and

b4) wherein said identified application is for processing said data file
in accordance with other information associated with said identified
application.

16. (Currently Amended) A system as described in Claim 15 wherein
said identified application processes said data file by formatting said stream in
accordance with an existing database associated with said identified ~~identified~~
application and wherein further said data file is added as a record to said existing
database by said identified application.

17. (Original) A system as described in Claim 16 wherein said handheld
device is a palm top computer system.

18. (Canceled).

19. (Currently Amended) A system as described in Claim 16 ~~17~~ wherein said universal conduit transfers said data file by a synchronization process between said host computer system and said handheld device.

20. (Original) A system as described in Claim 16 wherein said universal conduit is an install utility and wherein said file type is unknown to said universal conduit.

21. (Original) A system as described in Claim 16 wherein said exchange manager is for receiving a notification that new streams may reside in said handheld device, in response to said notification, said exchange manager for identifying a file type of a new stream, said exchange manager, in response to said file type, for determining said identified application and for awaking said identified application, and said exchange manager also for dispatching said stream to said identified application.

22. (Currently Amended) A method of transferring data from a handheld device to a host computer system, said method comprising ~~the steps of:~~

- a) an application generating a record to be exported, said application supplying said record with an export mechanism type and a file type;
- b) an exchange manager receiving said record and exporting said record in accordance with said export mechanism type and provided said export

mechanism type is synchronization, said exchange mechanism converting said record into a stream file and queuing said stream file for export;

c) upon a next synchronization, exporting said stream file via a universal conduit resident on said to a host computer system, wherein said universal conduit is used with all applications known to said handheld device in lieu of a custom conduit specific to said application; and

d) in response to said file type, ~~an~~ said application resident on said host computer system reading said stream file and converting contents of said stream file into a record of an existing database associated with said application.

23. (Original) A method as described in Claim 22 wherein said handheld device is a palm top computer system.

24. (Original) A method as described in Claim 22 wherein said universal conduit is a backup conduit.

25. (Canceled).

26. (Original) A method as described in Claim 22 wherein said file type is unknown to said universal conduit.

27. (Currently Amended) A method as described in Claim 22 wherein said host computer system and said handheld device are coupled together using a communication link during said synchronization.